

RECEIVED
CENTRAL FAX CENTER

PAGE 01/10

JUL 28 2008

PTO/SB/21 (01-08)

Approved for use through 07/31/2008. OMB 0651-0031
U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCEUnder the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.TRANSMITTAL
FORM

(to be used for all correspondence after initial filing)


Total Number of Pages in This Submission

Application Number	10/620,860	
Filing Date	July 15, 2003	
First Named Inventor	Antonio S. Cruz-Uribe	
Art Unit	1791	
Examiner Name	TENTONI, Leo B.	
Total Number of Pages in This Submission	10	Attorney Docket Number
		200309104-1

ENCLOSURES (Check all that apply)


<input type="checkbox"/> Fee Transmittal Form	<input type="checkbox"/> Drawing(s)	<input type="checkbox"/> After Allowance Communication to TC
<input type="checkbox"/> Fee Attached	<input type="checkbox"/> Licensing-related Papers	<input checked="" type="checkbox"/> Appeal Communication to Board of Appeals and Interferences
<input type="checkbox"/> Amendment/Reply	<input type="checkbox"/> Petition	<input type="checkbox"/> Appeal Communication to TC (Appeal Notice, Brief, Reply Brief)
<input type="checkbox"/> After Final	<input type="checkbox"/> Petition to Convert to a Provisional Application	<input type="checkbox"/> Proprietary Information
<input type="checkbox"/> Affidavits/declaration(s)	<input type="checkbox"/> Power of Attorney, Revocation	<input type="checkbox"/> Status Letter
<input type="checkbox"/> Extension of Time Request	<input type="checkbox"/> Change of Correspondence Address	<input type="checkbox"/> Other Enclosure(s) (please identify below):
<input type="checkbox"/> Express Abandonment Request	<input type="checkbox"/> Terminal Disclaimer	<input type="checkbox"/> 1. Certificate of Transmission
<input type="checkbox"/> Information Disclosure Statement	<input type="checkbox"/> Request for Refund	
<input type="checkbox"/> Certified Copy of Priority Document(s)	<input type="checkbox"/> CD, Number of CD(s) _____	
<input type="checkbox"/> Reply to Missing Parts/ Incomplete Application	<input type="checkbox"/> Landscape Table on CD	
<input type="checkbox"/> <input type="checkbox"/> Reply to Missing Parts under 37 CFR 1.52 or 1.53		
Remarks		

SIGNATURE OF APPLICANT, ATTORNEY, OR AGENT

Firm Name			
Signature			
Printed name	Steven L. Nichols		
Date	July 28, 2008	Reg. No.	40,326

CERTIFICATE OF TRANSMISSION/MAILING

I hereby certify that this correspondence is being facsimile transmitted to the USPTO or deposited with the United States Postal Service with sufficient postage as first class mail in an envelope addressed to: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450 on the date shown below:

Signature 

Typed or printed name

Rebecca R. Schow

Date

July 28, 2008

This collection of information is required by 37 CFR 1.5. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.11 and 1.14. This collection is estimated to 2 hours to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

If you need assistance in completing the form, call 1-800-PTO-9199 and select option 2.

RECEIVED
CENTRAL FAX CENTER

JUL 28 2008


Application No.: 10/620,860

Attorney Docket No.: 200309104-1

Certificate of Transmission

I hereby certify that this correspondence is being facsimile transmitted to the Commissioner for Patents via the USPTO central facsimile number, (571) 273-8300.

on July 28, 2008
Date


Signature

Rebecca R. Schow

Typed or printed name of person signing Certificate

Transmitted, herewith, are the following documents:

1. Transmittal Form (1 page)
2. Certificate of Transmission (1 page)
3. Request for Rehearing (8 pages)

200309104-1

10/620,860

RECEIVED
CENTRAL FAX CENTER

JUL 28 2008

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In the Patent Application of

Antonio S. Cruz-Uribe et al.

Application No. 10/620,860

Filed: July 15, 2003

For: A Method and a System for Producing
an Object Using Solid Freeform
Fabrication

Group Art Unit: 1732

Examiner: TENTONI, Leo B.

Confirmation No.: 9136

REQUEST FOR REHEARING
UNDER 37 C.F.R. § 41.52

Mail Stop Appeal Brief - Patents
Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Sir:

As provided by 37 C.F.R. § 41.52, Appellant hereby respectfully requested rehearing
of the appeal in the above-identified patent application based on the following remarks.

200309104-1

10/620 RECEIVED
CENTRAL FAX CENTER

JUL 28 2008

In a Decision issued May 30, 2008 (the "Decision"), the Board of Patent Appeals and Interferences (the "Board") overturned the Examiner's rejections under 35 U.S.C. §102(b) and § 103(a) based on U.S. Patent No. 6,346,986 to Kieronski ("Kieronski") and overturned the rejection of claim 18 under § 102(b) based on DE 19537264 to Greul et al. ("Greul"). Appellant notes that no rejection remains as to claim 18, which presumably now contains allowable subject matter.

The Board Decision, however, sustained the rejection of claims 1-17, 19-26 and 39-42 under § 102 based on Greul and the rejection of claims 27-38 under § 103 based on Greul. For the following reasons, Appellant believes these rejections to be clearly in error and requests reconsideration.

Claim 1 recites:

A method for producing a three-dimensional object through solid freeform fabrication comprising:

selectively depositing containment material to form a boundary structure, wherein said boundary structure defines a surface of said object; and
depositing a flowable build material within said boundary structure, wherein said flowable build material forms a portion of said object by flowing to said boundary structure.

(Emphasis added).

Claim 7 recites:

A method for producing an object through solid freeform fabrication comprising:

selectively depositing containment material to form a boundary structure with a high precision dispenser; and
depositing a flowable object build material into said boundary structure with a low precision dispenser.

(Emphasis added).

Claim 27 recites:

A method of producing an object through solid freeform fabrication comprising:

200309104-1

10/620,860

selectively depositing containment material to form a plurality of perimeter structures defining an outer surface of said object with a high precision dispenser (Appellant's specification, paragraph 0028); and
dispensing (410) a volume of fluid build material interior to said perimeter structures (Appellant's specification, paragraph 0031).
(Emphasis added).

Claim 37 recites:

A method of producing a porous object though solid freeform fabrication, said method comprising:
selectively depositing a first material with a high precision dispenser to form an outer boundary structure;
selectively depositing a smaller, internal boundary structure with said high precision dispenser; and
filling said outer boundary structure with a solidifiable build material, wherein said filling is performed by a low precision dispenser.
(Emphasis added).

Claim 39 recites:

A method of creating a three-dimensional object with a liquid build material comprising:
selectively depositing containment material to form a structural boundary, wherein said structural boundary defines a surface of said three-dimensional object;
dispensing a liquid build material into said structural boundary; and
solidifying said liquid build material.

(Emphasis added).

As Appellant has previously argued, Kieronski and Greul both fail to teach or suggest *selectively* depositing containment material to form a boundary or perimeter structure with a high precision dispenser as claimed. In this regard, the recent Decision from the Board focuses on whether Greul teaches the claimed use of a "high precision dispenser." (Claim 1).

According to the Decision:

Greul discloses that the hollow mold is freeformingly produced in a rapid prototyping process by means of layered deposition (Greul, 4). Greul discloses that the hollow mold is formed in various layers in the process of freeform molding so that the outermost layers (i.e., the layers that form the functional surface) fulfill the requirements placed on the component (Greul 5). Gruel discloses that the process used to form the three-dimensional object includes either forming a positive or negative mold to form the hollow mold; forming the hollow mold by casting a layer; demolding the hollow mold; attaching the two halves together if the positive mold is

200309104-1

**RECEIVED
CENTRAL FAX CENTER**

10/620,860

JUL 28 2008

used; placing the hollow mold in tank surrounded by metal powder; and filling the hollow mold with molten material to form the three-dimensional object (Greul 6-7). (Decision, pp. 6-7).

The Decision goes on to conclude that Greul is teaching a "high precision dispenser" as claimed.

... Appellants further indicate that "high precision dispenser" is meant to be understood broadly as any dispensing equipment configured to perform a high precision process" (Spec. ¶ [0022]).

We note that Appellants have not defined "high precision process." Webster's defines "precision" as "exactness, accuracy" Webster's defines "high" as "greater in degree than usual." Accordingly, a "high precision process" is reasonably understood as a process performed with a greater degree of accuracy or exactness.

Like the Examiner, we find that Greul's freeform layered deposition process to form the hollow mold constitutes using material dispensers to deposit material in a high precision process. Specifically, the layered deposition of the material to form the hollow mold uses material dispensers to deposit (i.e., cast, Greul 5) the material on a mold. Moreover, the process used is a high precision process in that material is deposited in such a way on the mold that the outermost layer fulfills the requirements placed on this component (i.e., the outermost layer form the functional surface of the finished component) (Greul 5). Greul's disclosure that the outermost layer is "so thin" that the properties of the component are not changed and are not determined thereby further indicates that the hollow mold layered deposition s preformed with a higher degree of accuracy than usual (Gruel 5).

We find that whether Greul uses a negative (i.e., the hollow mold is formed as a single piece) or positive mold (i.e., two halves of the hollow ld are formed which are subsequently united), Greul's disclosures indicate that dispensers are used to form the hollow mold with high precision process (i.e., the hollow mold is formed by "selective deposition" s defined by Appellants). (Decision, pp. 7-8).

Whether or not Greul teaches a "high precision dispenser" or a process using the same, this line of reasoning from the Decision improperly fails to consider whether Greul's process of forming a mold also includes the claimed "selectively depositing" of containment material, with emphasis on the term "selectively."


200309104-1

10/620,860

As pointed out previously in Appellant's Brief, "selective deposition methods include using a dispensing mechanism to deposit, *at particular locations*, individual drops of material known as voxels." (Appellant's specification, paragraph 0002) (emphasis added). Thus, consistent with it's ordinary meaning, Appellant expressly uses "selectively depositing" to mean that containment material is deposited "at particular locations" and not others, i.e., *selectively*, not indiscriminately.

The recent Decision fails to address whether Greul teaches the claimed methods including "selectively depositing containment material" as claimed.

As noted above in the quotation from the Decision, Gruel teaches a "layered deposition process to form the hollow mold." (Decision, p. 7). This process is clearly illustrated in the various steps of Fig. 1 of Gruel, some of which are reproduced below. As shown in the figure of Gruel, a form is used to create the desired mold. Then, a layer of material is provided over the form and then hardened to produce the desired mold.



200309104-1

10/620,860

Consequently, there is nothing “selective” about the deposition of the material into the form to produce the desired mold. Rather, a layer of material is indiscriminately provided over the entire interior surface of the form, as shown above, to produce one half of the mold. As noted above, “*selective* deposition methods include using a dispensing mechanism to deposit, *at particular locations*, individual drops of material.” (Appellant’s specification, paragraph 0002) (emphasis added).

In contrast, Gruel does not teach or suggest any such method that includes “selectively depositing containment material to form a boundary structure, wherein said boundary structure defines a surface of said object” as claimed. Consequently, the Decision in this application erred in sustaining the rejection of independent claims 1, 7 and 39 based on the teachings of Greul. Specifically, the Decision did not address Appellant’s arguments that “selectively depositing containment material” requires depositing material only at particular locations and not as a blanket layer as taught by Greul.

“A claim is anticipated [under 35 U.S.C. § 102] only if each and every element as set forth in the claim is found, either expressly or inherently described, in a single prior art reference.” *Verdegaal Bros. v. Union Oil Co. of California*, 2 U.S.P.Q.2d 1051, 1053 (Fed. Cir. 1987) (emphasis added). See M.P.E.P. § 2131. For at least these reasons, the rejections based on Greul should not be sustained.

Claim 8:

Claim 8 recites “depositing a sparse array support structure to support said boundary structure.” In this regard, the Decision cites a metal powder used by Greul. According to the Decision, “we find that Greul discloses that the hollow mold (i.e., the boundary material


200309104-1

10/620,860

layer) may be embedded in a heavy metal powder before the filling procedure (Greul 7; Figure 1, Step 5). The heavy metal powder constitutes a deposited ‘sparse’ array support of the boundary layer in that the powder is not densely packed.” (Decision, p. 9).

This subject matter is shown in step 5 of Greul’s Fig. 1, which is reproduced below. As seen in this portion of the figure, the mold is entirely surrounded and supported by the metal powder.

Schritt 5



Appellant respectfully submits that there is no reasonable way that the powder which *completely surrounds and supports* the mold can be referred to as a “sparse array support structure” as claimed. A “sparse” support structure is the complete antithesis of a support structure or material that completely surrounds the object supported. One of ordinary skill in the art would never equate the powder in which Gruel immerses the disclosed mold with the sparse array support structure of claim 8.

Therefore, Appellant believes that the Decision errs with respect to claim 8 by unreasonably construing the recited “sparse array support structure” to cover a bed of metal powder that completely surrounds and supports Gruel’s mold. Claim terms are to be given their broadest *reasonable* interpretation during examination. However, the rejection of claim

200309104-1

10/620,860
RECEIVED
CENTRAL FAX CENTER

JUL 28 2008

8 requires an unreasonable interpretation in this instance. Consequently, the rejection of claim 8 should not be sustained.

In view of the foregoing, it is submitted that the remaining rejections of the final rejection in this application are improper and should not be sustained. Therefore, a complete reversal of the Final Rejection of December 20, 2005 is respectfully requested.

Respectfully submitted,



Steven L. Nichols
Registration No. 40,326

DATE: July 28, 2008

Steven L. Nichols, Esq.
Managing Partner, Utah Office
Rader Fishman & Grauer PLLC
River Park Corporate Center One
10653 S. River Front Parkway, Suite 150
South Jordan, Utah 84095
(801) 572-8066
(801) 572-7666 (fax)

CERTIFICATE OF TRANSMISSION

I hereby certify that this correspondence is being transmitted to the Patent and Trademark Office facsimile number 571-273-8300 on July 28, 2008. Number of Pages: 10



Rebecca R. Schow